BP-2010A References

- 1. Yuan, R., et al., Promoting the transition from pyroptosis to apoptosis in endothelial cells: a novel approach to alleviate methylglyoxal-induced vascular damage. Journal of Translational Medicine, 2025. 23(1): p. 170.
- 2. Wu, Q., et al., VEGFR3 mitigates hypertensive nephropathy by enhancing mitophagy via regulating crotonylation of HSPA1L. Cell Communication and Signaling, 2025. 23(1): p. 52.
- 3. Wang, Z., et al., Exposure to Bisphenol A jeopardizes decidualization and consequently triggers preeclampsia by up-regulating CYP1B1. Journal of Hazardous Materials, 2025. 486: p. 137032.
- 4. Tian, Y., X. Peng, and X. Yang, Decreased PD-L1 contributes to preeclampsia by suppressing GM-CSF via the JAK2/STAT5 signal pathway. Scientific Reports, 2025. 15(1): p. 3124.
- 5. Suo, Q., et al., Response surface optimization of preparation parameters and evaluation of the antioxidant and antihypertensive activities of Spirulina protein hydrolysates. Journal of Oceanology and Limnology, 2025. 43(1): p. 196-209.
- 6. Song, D., et al., Stimulation of TRPV1+ peripheral somatosensory nerves suppress inflammation via the somato-autonomic reflex. iScience, 2025. 28(2): p. 111831.
- 7. Shi, M., et al., Quercetin alleviates endothelial dysfunction in preeclampsia by inhibiting ferroptosis and inflammation through EGFR binding. Communications Biology, 2025. 8(1): p. 90.
- 8. Shen, W., et al., Regulation of macrophage polarization by metformin through inhibition of TLR4/NF-κB pathway to improve pre-eclampsia. Placenta, 2025. 160: p. 89-99.
- 9. Shen, S.-r., et al., JOSD2 inhibits angiotensin II-induced vascular remodeling by deubiquitinating and stabilizing SMAD7. Acta Pharmacologica Sinica, 2025.
- 10. Nong, Q., et al., Lead-induced actin polymerization aggravates neutrophil extracellular trap formation and contributes to vascular inflammation. Ecotoxicology and Environmental Safety, 2025. 290: p. 117598.
- 11. Mei, F., et al., Deubiquitination of RIPK3 by OTUB2 potentiates neuronal necroptosis after ischemic stroke. EMBO Molecular Medicine, 2025: p. 1-17-17.
- 12. Liu, Q., L. Zhang, and X. Xu, circLOC375190 promotes autophagy through modulation of the mTORC1/TFEB axis in acute ischemic stroke-induced neurological injury. Clinics, 2025. 80: p. 100581.
- 13. Li, J., et al., Antihypertensive effects of rice peptides involve intestinal microbiome alterations and intestinal inflammation alleviation in spontaneously hypertensive rats. Food & Function, 2025. 16(5): p. 1731-1759.
- 14. Leng, S., et al., SGK1-Mediated Vascular Smooth Muscle Cell Phenotypic Transformation Promotes Thoracic Aortic Dissection Progression. Arteriosclerosis, Thrombosis, and Vascular Biology, 2025. 45(2): p. 238-259.
- 15. Huang, Y., et al., Persistent hypertension induces atrial remodeling and atrial fibrillation through DNA damage and ATM/CHK2/p53 signaling pathway. Biochimica et Biophysica Acta (BBA) Molecular Basis of Disease, 2025. 1871(1): p. 167534.
- 16. Huan, P., et al., A peptide from Boletus griseus-Hypomyces chrysospermus protects against hypertension and associated cardiac and renal damage through modulating RAAS and intestinal microbiota. Journal of Food Science, 2025. 90(1): p. e17617.
- 17. Han, X., et al., 4-Hydroxychalcone attenuates AngII-induced cardiac remodeling and dysfunction via regulating PI3K/AKT pathway. Hypertension Research, 2025. 48(3): p. 1054-1067.
- 18. Fei, H., et al., Deciphering the Preeclampsia-Specific Immune Microenvironment: The Role of Pro-inflammatory Macrophages. 2025, eLife Sciences Publications, Ltd.
- 19. Cui, Y., et al., Cinnamic acid alleviates hypertensive left ventricular hypertrophy by antagonizing the vasopressor activity and the pro-cardiac hypertrophic signaling of angiotensin II. Frontiers in Pharmacology, 2025. 16.
- 20. Zhu, M., et al., Ivabradine Alleviates Experimental Autoimmune Myocarditis-Mediated Myocardial Injury. International heart journal, 2024. 65(1): p. 109-118.
- 21. Zhou, Z., et al., Berberine ameliorates chronic intermittent hypoxia-induced cardiac remodelling by preserving mitochondrial function, role of SIRT6 signalling. Journal of Cellular and Molecular Medicine, 2024. 28(12): p. e18407
- 22. Zheng, Y., et al., Qianyang yuyin granule ameliorates mitochondrial dysfunction of hypertensive myocardial

- remodeling. Journal of Ethnopharmacology, 2024. 335: p. 118610.
- 23. Zhao, Y., et al., CPEB2 inhibits preeclampsia progression by regulating SSTR3 translation through polyadenylation. Biochimica et Biophysica Acta (BBA) Molecular Basis of Disease, 2024. 1870(5): p. 167191.
- 24. Zhao, Y., et al., Central blockage of sympathetic nerves inhibits the abnormal vital signs and disturbance of the gut microbiota caused by continuous light exposure. Heliyon, 2024. 10(1).
- 25. Zhang, X., et al., Both partial inactivation as well as activation of NF-κB signaling lead to hypertension and chronic kidney disease. Nephrology Dialysis Transplantation, 2024. 39(12): p. 1993-2004.
- 26. Zhang, M., et al., Blockage of VEGF function by bevacizumab alleviates early-stage cerebrovascular dysfunction and improves cognitive function in a mouse model of Alzheimer's disease. Translational Neurodegeneration, 2024. 13(1): p. 1.
- 27. Zhang, K., et al., Liraglutide attenuates angiotensin II-induced aortic dissection and aortic aneurysm via inhibiting M1 macrophage polarization in APOE -/- mice. Biochemical pharmacology, 2024. 223: p. 116170.
- 28. Yue, X., et al., Puerarin alleviates symptoms of preeclampsia through the repression of trophoblast ferroptosis via the CREB/HO-1 pathway. Placenta, 2024. 158: p. 145-155.
- 29. Yu, L., et al., Branched-chain amino acid catabolic defect in vascular smooth muscle cells drives thoracic aortic dissection via mTOR hyperactivation. Free Radical Biology and Medicine, 2024. 210: p. 25-41.
- 30. Yu, J., et al. Oral Administration of Fermented Milk from Co-Starter Containing Lactobacillus plantarum Y44 Shows an Ameliorating Effect on Hypertension in Spontaneously Hypertensive Rats. Foods, 2024. 13, DOI: 10.3390/foods13050641.
- 31. Ye, B., et al., Macrophage-derived GSDMD promotes abdominal aortic aneurysm and aortic smooth muscle cells pyroptosis. International immunopharmacology, 2024. 128: p. 111554.
- 32. Yang, L., et al., Gestational diabetes causes hyperactivity of the sympathetic nervous system and hypertension in adult mice offspring. Clin Exp Hypertens, 2024. 46(1): p. 20.
- 33. Yan, S., et al., Ibrutinib-induced pulmonary angiotensin-converting enzyme activation promotes atrial fibrillation in rats. iScience, 2024. 27(2).
- 34. Xu, X., et al., Cerebral Perfusion Characteristics and Dynamic Brain Structural Changes in Stroke-Prone Renovascular Hypertensive Rats: A Preclinical Model for Cerebral Small Vessel Disease. Translational Stroke Research, 2024.
- 35. Xu, M., et al., Evaluation of Renal Microhemodynamics Heterogeneity in Different Strains and Sexes of Mice. Laboratory Investigation, 2024. 104(7): p. 102087.
- 36. Xu, B., et al., S-Methyl-l-cysteine targeting MsrA attenuates Ang II-induced oxidative stress and atrial remodeling via the p38 MAPK signaling pathway. Food & Function, 2024. 15(18): p. 9165-9175.
- 37. Xiao, Y., et al., Protective effect of novel angiotensin receptor neprilysin inhibitor S086 on target organ injury in spontaneously hypertensive rats. Biomedicine & Pharmacotherapy, 2024. 170: p. 115968.
- 38. Xiang, L., et al., Two novel angiotensin I-converting enzyme inhibitory peptides from garlic protein: In silico screening, stability, antihypertensive effects in vivo and underlying mechanisms. Food Chemistry, 2024. 435: p. 137537.
- 39. Wu, W., et al., Mechanism and functional substances of Saiga antelope horn in treating hypertension with liver-yang hyperactivity syndrome explored using network pharmacology and metabolomics. Journal of Ethnopharmacology, 2024. 330: p. 118193.
- 40. Wu, P., et al., Puerariae lobatae Radix ameliorates chronic kidney disease by reshaping gut microbiota and downregulating Wnt/β-catenin signaling. Mol Med Rep, 2024. 30(1): p. 117.
- 41. Wu, J., et al., Combined vaccines against angiotensin II receptor type 1 and alpha 1D-adrenergic receptor for hypertension. Journal of Hypertension, 2024. 42(7).
- 42. Wu, J., et al., TIE2 expression in hypertensive ICH and its therapeutic modulation with AKB-9778: Implications for brain vascular health. Experimental Neurology, 2024. 374: p. 114685.
- 43. Wang, Z.-y., et al., Macrophage ILF3 promotes abdominal aortic aneurysm by inducing inflammatory imbalance in male mice. Nature Communications, 2024. 15(1): p. 7249.
- 44. Wang, Z., et al., Berberine ameliorates vascular dysfunction by downregulating TMAO-endoplasmic reticulum stress pathway via gut microbiota in hypertension. Microbiological Research, 2024. 287: p. 127824.

- 45. Wang, Q., et al., S-adenosyl-L-methionine supplementation alleviates aortic dissection by decreasing inflammatory infiltration. Nutrition & Metabolism, 2024. 21(1): p. 67.
- 46. Tuo, P., et al., Lycorine inhibits Ang II-induced heart remodeling and inflammation by suppressing the P13K-AKT/NF-κB pathway. Phytomedicine, 2024. 128: p. 155464.
- 47. Sun, X., et al., 40 Hz light flickering facilitates the glymphatic flow via adenosine signaling in mice. Cell Discovery, 2024. 10(1): p. 81.
- 48. Sun, T., et al., Synaptotagmin-7 mediates cardiac hypertrophy by targeting autophagy. The FEBS Journal, 2024. 291(3): p. 489-509.
- 49. Sun, M., et al., Effects of ivabradine on myocardial autophagia and apoptosis in isoprenaline-induced heart failure in mice. Iran J Basic Med Sci, 2024. 27(1): p. 107-113.
- 50. Sun, J., et al., The cGAS-STING pathway promotes the development of preeclampsia by upregulating autophagy: Mechanisms and implications. International immunopharmacology, 2024. 128: p. 111531.
- 51. Sun, J., et al., Role of β-adrenergic signaling and the NLRP3 inflammasome in chronic intermittent hypoxia-induced murine lung cancer progression. Respiratory research, 2024. 25(1): p. 347.
- 52. Miao, H., et al., Obeticholic Acid Inhibit Mitochondria Dysfunction Via Regulating ERK1/2-DRP Pathway to Exert Protective Effect on Lipopolysaccharide-Induced Myocardial Injury. Adv Biol, 2024. 8(7): p. 10.
- 53. Meng, Z., et al., Adipose transplantation improves metabolism and atherosclerosis but not perivascular adipose tissue abnormality or vascular dysfunction in lipodystrophic Seipin/Apoe null mice. American Journal of Physiology-Cell Physiology, 2024. 326(5): p. C1410-C1422.
- 54. Lu, C., et al., Suppression of circular RNA serum and glucocorticoid-induced kinase 1 elevates antioxidant molecules and angiogenesis in trophoblast cells to attenuate preeclampsia via microRNA-508-3p to target and restrain PUM homolog 1. Journal of Obstetrics and Gynaecology Research, 2024. 50(3): p. 322-333.
- 55. Lu, C., et al., GPR30 selective agonist G-1 induced insulin resistance in ovariectomized mice on high fat diet and its mechanism. Biochemical and biophysical research communications, 2024. 716: p. 150026.
- 56. Liu, Z.-L., et al., Aging aggravates aortic aneurysm and dissection via miR-1204-MYLK signaling axis in mice. Nature Communications, 2024. 15(1): p. 5985.
- 57. Liu, Q., et al., Salidroside attenuates myocardial remodeling in DOCA-salt-induced mice by inhibiting the endothelin 1 and PI3K/AKT/NFκB signaling pathways. European Journal of Pharmacology, 2024. 962: p. 176236.
- 58. Liu, Q., et al., Prenatal triphenyl phosphate exposure impairs placentation and induces preeclampsia-like symptoms in mice. Environmental Research, 2024. 257: p. 119159.
- 59. Liu, C., et al., Intestinal Absorption of Nanoparticles to Reduce Oxidative Stress and Vasoconstriction for Treating Diabetic Nephropathy. ACS Biomaterials Science & Engineering, 2024. 10(3): p. 1517-1529.
- 60. Lin, X., et al., Honokiol ameliorates angiotensin II-induced cardiac hypertrophy by promoting dissociation of the Nur77–LKB1 complex and activating the AMPK pathway. Journal of Cellular and Molecular Medicine, 2024. 28(1): p. e18028.
- 61. Li, Y., et al., Dynamics of Endothelial Cell Generation and Turnover in Arteries During Homeostasis and Diseases. Circulation, 2024. 149(2): p. 135-154.
- 62. Li, X., et al., Vaccine Targeting Alpha 1D-Adrenergic Receptor Improved Metabolic Syndrome in Mice. Cardiovascular Drugs and Therapy, 2024. 38(3): p. 539-554.
- 63. Li, W., et al., Revealing the ACE receptor binding properties and interaction mechanisms of salty oligopeptides from Stropharia rugosoannulata mushroom by molecular simulation and antihypertensive evaluation. Food & Function, 2024. 15(10): p. 5527-5538.
- 64. Li, R.L., et al., Irisin attenuates vascular remodeling in hypertensive mice induced by Ang II by suppressing Ca(2+)-dependent endoplasmic reticulum stress in VSMCs. Int J Biol Sci, 2024. 20(2): p. 680-700.
- 65. Li, H., et al., Study on material basis and anti-hypertensive metabolomics of Zhengan-Xifeng-Tang(ZXT): A comparison between ZXT decoction and granules. Journal of Chromatography B, 2024. 1236: p. 124063.
- 66. Li, B., et al., Characteristics of Inflammatory and Normal Endothelial Exosomes on Endothelial Function and the Development of Hypertension. Inflammation, 2024. 47(4): p. 1156-1169.
- 67. Jiang, P., et al., Targeting JUNB to modulate M2 macrophage polarization in preeclampsia. Biochimica et Biophysica

- Acta (BBA) Molecular Basis of Disease, 2024. 1870(6): p. 167194.
- 68. Jia, X., et al., Effect of the NLRP3 inflammasome on increased hypoxic ventilation response after CIH exposure in mice. Respiratory Physiology & Neurobiology, 2024. 321: p. 104204.
- 69. He, Z., et al., Resolvin D1 delivery to lesional macrophages using antioxidative black phosphorus nanosheets for atherosclerosis treatment. Nature Nanotechnology, 2024. 19(9): p. 1386-1398.
- 70. He, C., et al., Xiasangju alleviate metabolic syndrome by enhancing noradrenaline biosynthesis and activating brown adipose tissue. Frontiers in Pharmacology, 2024. 15.
- 71. Han, J., et al., Cardiomyocyte-derived USP28 negatively regulates antioxidant response and promotes cardiac hypertrophy via deubiquitinating TRIM21. Theranostics, 2024. 14(16): p. 6236-6248.
- 72. Guo, J., et al., Gasdermin D Inhibitor Necrosulfonamide Alleviates Angiotensin II-Induced Abdominal Aortic Aneurysms in Apolipoprotein E-Deficient Mice. Biomolecules, 2024. 14(6).
- 73. Fu, S., et al., Strain- and sex-specific differences in intestinal microhemodynamics and gut microbiota composition. Gastroenterology Report, 2024. 12: p. goae087.
- 74. Fitriana, F., et al., Evaluation of placental bed uterine in L-NAME-induced early-onset preeclampsia (EO-PE) like the rat model. Turk J Obstet Gynecol, 2024. 21(3): p. 180-189.
- 75. Fang, Z., et al., Deubiquitinase OTUD6a drives cardiac inflammation and hypertrophy by deubiquitination of STING. Biochimica et Biophysica Acta (BBA) Molecular Basis of Disease, 2024. 1870(4): p. 167061.
- 76. Dong, X., et al., Fecal microbiota transplantation alleviates cognitive impairment by improving gut microbiome composition and barrier function in male rats of traumatic brain injury following gas explosion. Frontiers in Microbiology, 2024. 15.
- 77. Dong, Q., et al., 20(S)-Ginsenoside Rg2 amino acid derivatives for anti hemorrhagic shock: Synthesis, characterization and evaluation. Journal of Pharmaceutical and Biomedical Analysis, 2024. 240: p. 115939.
- 78. Deng, B., et al., CircFNDC3B inhibits vascular smooth muscle cells proliferation in abdominal aortic aneurysms by targeting the miR-1270/PDCD10 axis. Scandinavian Cardiovascular Journal, 2024. 59(1): p. 2441114.
- 79. Dang, Z., et al., Histone deacetylase 9-mediated phenotypic transformation of vascular smooth muscle cells is a potential target for treating aortic aneurysm/dissection. Biomedicine & Pharmacotherapy, 2024. 173: p. 116396.
- 80. Dai, Y., et al., Long-term effects of chronic exposure to electronic cigarette aerosol on the cardiovascular and pulmonary system in mice: A comparative study to cigarette smoke. Environment International, 2024. 185: p. 108521.
- 81. Chen, Y.-F., et al., Sirtuin 7 ameliorates cuproptosis, myocardial remodeling and heart dysfunction in hypertension through the modulation of YAP/ATP7A signaling. Apoptosis, 2024. 29(11): p. 2161-2182.
- 82. Chen, Y., et al., MiR-421 mediates PM(2.5)-induced endothelial dysfunction via crosstalk between bronchial epithelial and endothelial cells. Inhal Toxicol, 2024. 36(9-10): p. 501-510.
- 83. Zhou, H., et al., Optogenetics supports to identify the function of renal autonomic system. Hypertension Research, 2023. 46(10): p. 2439-2441.
- 84. Zhao, Y., et al., USP25 inhibits renal fibrosis by regulating TGFβ-SMAD signaling pathway in Ang II-induced hypertensive mice. Biochimica et Biophysica Acta (BBA) Molecular Basis of Disease, 2023. 1869(6): p. 166713.
- 85. Zhao, J., et al., Diminished α7 nicotinic acetylcholine receptor (α7nAChR) rescues amyloid-β induced atrial remodeling by oxi-CaMKII/MAPK/AP-1 axis-mediated mitochondrial oxidative stress. Redox biology, 2023. 59: p. 102594.
- 86. Zhang, Z., et al., Schisandrin B Alleviates Diabetic Cardiac Autonomic neuropathy Induced by P2X7 Receptor in Superior Cervical Ganglion via NLRP3. Disease Markers, 2023. 2023(1): p. 9956950.
- 87. Zhang, Y., et al., HDAC9-mediated epithelial cell cycle arrest in G2/M contributes to kidney fibrosis in male mice. Nature Communications, 2023. 14(1): p. 3007.
- 88. Zhang, L., et al., CD44 connects autophagy decline and ageing in the vascular endothelium. Nature Communications, 2023. 14(1): p. 5524.
- 89. Zeng, S., et al., Improvement in Clinical Features of L-NAME-Induced Preeclampsia-like Rats through Reduced SERPINA5 Expression. Biomolecules, 2023. 13(12).
- 90. Zeng, H., et al., Unbiased multitissue transcriptomic analysis reveals complex neuroendocrine regulatory networks mediated by spinal cord injury-induced immunodeficiency. Journal of Neuroinflammation, 2023. 20(1): p. 219.

- 91. Yu, T., et al., Ginsenoside Rg5 alleviates Ang II–induced cardiac inflammation and remodeling by inhibiting the JNK/AP-1 pathway. International immunopharmacology, 2023. 120: p. 110408.
- 92. Yu, T., et al., 20(S)-ginsenoside Rh2 inhibits angiotensin-2 mediated cardiac remodeling and inflammation associated with suppression of the JNK/AP-1 pathway. Biomedicine & Pharmacotherapy, 2023. 169: p. 115880.
- 93. You, Q., et al., Ameliorative effect of mussel-derived ACE inhibitory peptides on spontaneous hypertension rats. European Journal of Nutrition, 2023. 62(7): p. 3097-3111.
- 94. Yang, Z., et al., Human umbilical cord mesenchymal stem cell-derived extracellular vesicles loaded with TFCP2 activate Wnt/β-catenin signaling to alleviate preeclampsia. International Immunopharmacology, 2023. 115: p. 109732.
- 95. Yang, N., et al., Sclareol attenuates angiotensin II-induced cardiac remodeling and inflammation via inhibiting MAPK signaling. Phytotherapy Research, 2023. 37(2): p. 578-591.
- 96. Yang, J., et al., TAK1 Improves Cognitive Function via Suppressing RIPK1-Driven Neuronal Apoptosis and Necroptosis in Rats with Chronic Hypertension. Aging Dis, 2023. 14(5): p. 1799-1817.
- 97. Xu, Z., et al., LncRNA FGD5-AS1 Promotes Abdominal Aortic Aneurysm Growth Through the Activation of MMP3 in Vascular Smooth Muscle Cells. International Heart Journal, 2023. 64(3): p. 470-482.
- 98. Xiao, J., et al., The gut microbiota in experimental abdominal aortic aneurysm. Frontiers in Cardiovascular Medicine, 2023. 10.
- 99. Xia, W., et al., Dosage selection and effect evaluation of sodium pentobarbital in tree shrew anesthesia. Laboratory Animals, 2023. 57(3): p. 283-292.
- 100. Wu, Y., et al., Phosphoglycerate dehydrogenase activates PKM2 to phosphorylate histone H3T11 and attenuate cellular senescence. Nature Communications, 2023. 14(1): p. 1323.
- 101. Wu, Q., et al., VEGFC ameliorates salt-sensitive hypertension and hypertensive nephropathy by inhibiting NLRP3 inflammasome via activating VEGFR3-AMPK dependent autophagy pathway. Cellular and Molecular Life Sciences, 2023. 80(11): p. 327.
- 102. Wang, Z., et al., Elevated Placental microRNA-155 Is a Biomarker of a Preeclamptic Subtype. Hypertension, 2023. 80(2): p. 370-384.
- 103. Wang, S., et al., Formaldehyde causes an increase in blood pressure by activating ACE/ATIR axis. Toxicology, 2023. 486: p. 153442.
- 104. Wang, M.-y., et al., OTUD1 promotes hypertensive kidney fibrosis and injury by deubiquitinating CDK9 in renal epithelial cells. Acta Pharmacologica Sinica, 2023. 45(4): p. 765-776.
- 105. Wang, J., Q. She, and J. Du, Dapagliflozin attenuates myocardial remodeling in hypertension by activating the circadian rhythm signaling pathway. Archives of Pharmacal Research, 2023. 46(2): p. 117-130.
- 106. Tu, Q., et al., Andrographolide improves the dysfunction of endothelial progenitor cells from angiotensin II-induced hypertensive mice through SIRT1 signaling. Biochem Biophys Res Commun, 2023. 642: p. 11-20.
- 107. Tan, F., et al., RNA-Seq transcriptomic landscape profiling of spontaneously hypertensive rats treated with a sodium-glucose cotransporter 2 (SGLT2) inhibitor. Biomedicine & Pharmacotherapy, 2023. 166: p. 115289.
- 108. Sun, F., et al., Visualization of Activated Fibroblasts in Heart Failure with Preserved Ejection Fraction with [18F]AlF-NOTA-FAPI-04 PET/CT Imaging. Molecular Pharmaceutics, 2023. 20(5): p. 2634-2641.
- 109. Shi, M., et al., Comparison of different modified operations in the reduced uteroplacental perfusion pressure rat model of preeclampsia. Journal of Reproductive Immunology, 2023. 156: p. 103815.
- 110. Shen, S., et al., Leonurine attenuates angiotensin II-induced cardiac injury and dysfunction via inhibiting MAPK and NF-κB pathway. Phytomedicine, 2023. 108: p. 154519.
- 111. Shen, M., et al., LCZ696 (sacubitril/valsartan) inhibits pulmonary hypertension induced right ventricular remodeling by targeting pyruvate dehydrogenase kinase 4. Biomedicine & Pharmacotherapy, 2023. 162: p. 114569.
- 112. Qumu, S., et al., Pulmonary rehabilitation restores limb muscle mitochondria and improves the intramuscular metabolic profile. Chinese Medical Journal, 2023. 136(04): p. 461-472.
- 113. Que, Y., et al., Silicate ions as soluble form of bioactive ceramics alleviate aortic aneurysm and dissection. Bioactive Materials, 2023. 25: p. 716-731.
- 114. Qiu, Y., et al., NAD+ exhaustion by CD38 upregulation contributes to blood pressure elevation and vascular damage in hypertension. Signal Transduction and Targeted Therapy, 2023. 8(1): p. 353.

- 115. Peng, C., et al., Long non-coding RNA TLR8-AS1 induces preeclampsia through increasing TLR8/STAT1 axis. Journal of Hypertension, 2023. 41(8).
- 116. Pan, Q., et al., Development of heart failure with preserved ejection fraction is independent of eosinophils in a preclinical model. Immunity, Inflammation and Disease, 2023. 11(9): p. e1027.
- 117. Miao, Y., et al., Effects of Cavitation from Extracorporeal Shock Wave Combined with Sulfur Hexafluoride Microbubble on Myocardial Ultrastructure in Rats. Anatol J Cardiol, 2023. 27(9): p. 519-528.
- 118. Ma, Y., et al., Vitamin D regulates microflora and ameliorates LPS-induced placental inflammation in rats. Physiological Genomics, 2023. 55(7): p. 286-296.
- 119. Long, Y., et al., SERPINA5 may promote the development of preeclampsia by disruption of the uPA/uPAR pathway. Translational Research, 2023. 251: p. 14-26.
- 120. Liu, Z., et al., Increased sympathetic outflow induced by emotional stress aggravates myocardial ischemia—reperfusion injury via activation of TLR7/MyD88/IRF5 signaling pathway. Inflammation Research, 2023. 72(5): p. 901-913.
- 121. Liu, T., et al., Noninvasive ultrasound stimulation to treat myocarditis through splenic neuro-immune regulation. Journal of Neuroinflammation, 2023. 20(1): p. 94.
- 122. Liu, N., et al., Exogenous H(2)S Attenuates Hypertension by Regulating Renin Exocytosis under Hyperglycaemic and Hyperlipidaemic Conditions. Int J Mol Sci, 2023. 24(2).
- 123. Liu, B. and H. Su, Luteolin improves vasoconstriction function and survival of septic mice via AMPK/NF-κB pathway. Heliyon, 2023. 9(2).
- 124. Li, Y., et al., Renal elasticity and perfusion changes on ultrasonography in an early-stage diabetic rat model. Quant Imaging Med Surg, 2023. 13(12): p. 7667-7679.
- 125. Li, X., et al., Silicate Ions Derived from Calcium Silicate Extract Decelerate Ang II-Induced Cardiac Remodeling. Tissue Engineering and Regenerative Medicine, 2023. 20(5): p. 671-681.
- 126. Li, W., et al., Structure–Activity Relationship of Novel ACE Inhibitory Undecapeptides from Stropharia rugosoannulata by Molecular Interactions and Activity Analyses. Foods, 2023. 12(18).
- 127. Li, S.C., et al., Salt Restriction and Angiotensin-Converting Enzyme Inhibitor Improve the Responsiveness of the Small Artery in Salt-Sensitive Hypertension. Int J Med Sci, 2023. 20(5): p. 572-580.
- 128. Li, R., et al., In vitro simulated gastrointestinal digestion stability and in vivo antihypertensive effect of the peptide KYPHVF and its network pharmacology. Journal of Functional Foods, 2023. 107: p. 105672.
- 129. Li, J.-J., et al., Endothelial KCa3.1 and KCa2.3 Mediate S1P (Sphingosine-1-Phosphate)—Dependent Vasodilation and Blood Pressure Homeostasis. Arteriosclerosis, Thrombosis, and Vascular Biology, 2023. 43(5): p. 726-738.
- 130. Li, H., et al., Study on material basis and anti-hypertensive metabolomics of different extraction methods of the Uncaria rhynchophylla Scrophularia Formula. Journal of Pharmaceutical and Biomedical Analysis, 2023. 233: p. 115464.
- 131. Li, B., et al., Limosilactobacillus reuteri ameliorates preeclampsia in mice via improving gut dysbiosis and endothelial dysfunction. Biomedicine & Pharmacotherapy, 2023. 161: p. 114429.
- 132. Li, A., et al., 6-Gingerol alleviates placental injury in preeclampsia by inhibiting oxidative stress via BNIP3/LC3 signaling-mediated trophoblast mitophagy. Frontiers in Pharmacology, 2023. 14.
- 133. Lei, L., et al., Selenium deficiency causes hypertension by increasing renal AT1 receptor expression via GPx1/H2O2/NF-κB pathway. Free Radical Biology and Medicine, 2023. 200: p. 59-72.
- 134. Ke, F., et al., A novel vaccine targeting β1-adrenergic receptor. Hypertension Research, 2023. 46(6): p. 1582-1595.
- 135. Huang, Z., et al., Mouse endothelial OTUD1 promotes angiotensin II‐induced vascular remodeling by deubiquitinating SMAD3. EMBO reports, 2023. 24(3): p. e56135.
- 136. Huang, S.-S., et al. Gut Microbiota-Derived Tryptophan Metabolite Indole-3-aldehyde Ameliorates Aortic Dissection. Nutrients, 2023. 15, DOI: 10.3390/nu15194150.
- 137. Huang, S., et al., Hydrogen sulfide alleviates heart failure with preserved ejection fraction in mice by targeting mitochondrial abnormalities via PGC-1a. Nitric Oxide, 2023. 136-137: p. 12-23.
- 138. Han, Y., et al., Axl promotes intracranial aneurysm rupture by regulating macrophage polarization toward M1 via STAT1/HIF-1a. Frontiers in Immunology, 2023. 14.
- 139. Han, X., et al., Adipose Triglyceride Lipase Deficiency Aggravates Angiotensin II-Induced Atrial Fibrillation by

- Reducing Peroxisome Proliferator-Activated Receptor Activation in Mice. Lab Invest, 2023. 103(1): p. 100004.
- 140. Han, J., et al., Deubiquitinase JOSD2 improves calcium handling and attenuates cardiac hypertrophy and dysfunction by stabilizing SERCA2a in cardiomyocytes. Nature Cardiovascular Research, 2023. 2(8): p. 764-777.
- 141. Guo, J., et al. Pharmacological Inhibition of Gasdermin D Suppresses Angiotensin II-Induced Experimental Abdominal Aortic Aneurysms. Biomolecules, 2023. 13, DOI: 10.3390/biom13060899.
- 142. Gao, Y., et al., JMJD3 ablation in myeloid cells confers renoprotection in mice with DOCA/salt-induced hypertension. Hypertension Research, 2023. 46(8): p. 1934-1948.
- 143. Gao, Y., et al., Interferon regulatory factor 4 deletion protects against kidney inflammation and fibrosis in deoxycorticosterone acetate/salt hypertension. Journal of Hypertension, 2023. 41(5).
- 144. Fang, Z., et al., Gasdermin D affects aortic vascular smooth muscle cell pyroptosis and Ang II-induced vascular remodeling. Heliyon, 2023. 9(6).
- 145. Fan, H., et al., CypD induced ROS output promotes intracranial aneurysm formation and rupture by 8-OHdG/NLRP3/MMP9 pathway. Redox biology, 2023. 67: p. 102887.
- 146. Dong, S., et al., Effects of Losartan, Atorvastatin, and Aspirin on Blood Pressure and Gut Microbiota in Spontaneously Hypertensive Rats. Molecules, 2023. 28(2).
- 147. Dai, S., et al., Celiac ganglia neurolysis suppresses high blood pressure in rats. Hypertension Research, 2023. 46(7): p. 1771-1781.
- 148. Dai, C., et al., Dapagliflozin reduces pulmonary vascular damage and susceptibility to atrial fibrillation in right heart disease. ESC Heart Failure, 2023. 10(1): p. 578-593.
- 149. Cheng, J., et al., N6-methyladenosine RNA is modified in the rat hippocampus following traumatic brain injury with hypothermia treatment. Frontiers in Neuroscience, 2023. 17.
- 150. Chen, Y., et al., Novel signaling axis of FHOD1-RNF213-Col1α/Col3α in the pathogenesis of hypertension-induced tunica media thickening. Journal of Molecular and Cellular Cardiology, 2023. 182: p. 57-72.
- 151. Chen, Q., et al., Small extracellular vesicles-transported lncRNA TDRKH-AS1 derived from AOPPs-treated trophoblasts initiates endothelial cells pyroptosis through PDIA4/DDIT4 axis in preeclampsia. Journal of Translational Medicine, 2023. 21(1): p. 496.
- 152. Chen, A.-P., et al., Mechanism of Wuweijiangyasan in the Treatment of Spontaneous Hypertension based on Network Pharmacology. World Journal of Traditional Chinese Medicine, 2023. 9(3).
- 153. Chang, W., et al., Transcriptomic analysis of the cerebral hippocampal tissue in spontaneously hypertensive rats exposed to acute hypobaric hypoxia: associations with inflammation and energy metabolism. Scientific Reports, 2023. 13(1): p. 3681.
- 154. Bei, Y., et al., A modified apical resection model with high accuracy and reproducibility in neonatal mouse and rat hearts. npj Regenerative Medicine, 2023. 8(1): p. 9.
- 155. Barik, P., et al., Rewiring of IGF1 secretion and enhanced IGF1R signaling induced by co-chaperone carboxyl-terminus of Hsp70 interacting protein in adipose-derived stem cells provide augmented cardioprotection in aging-hypertensive rats. Aging (Albany NY), 2023. 15(23): p. 14019-14038.
- 156. Zhou, Q., et al., The effect of continuous Jue tone intervention on blood pressure and vasoactive substances in hypertensive rats with a liver-fire hyperactivity pattern. Journal of Traditional Chinese Medical Sciences, 2022. 9(1): p. 40-46.
- 157. Zhi, D., et al., Mechanically reinforced biotubes for arterial replacement and arteriovenous grafting inspired by architectural engineering. Science Advances, 2022. 8(11): p. eabl3888.
- 158. Zhao, Y., et al., Sodium-Glucose Cotransporter 2 Inhibitor Canagliflozin Antagonizes Salt-Sensitive Hypertension Through Modifying Transient Receptor Potential Channels 3 Mediated Vascular Calcium Handling. Journal of the American Heart Association, 2022. 11(15): p. e025328.
- 159. Zhao, X., et al., Resveratrol: A new approach to ameliorate hyperhomocysteinaemia-induced renal dysfunction. Exp Ther Med, 2022. 24(2): p. 510.
- 160. Yuan, L., et al. Antihypertensive Activity of Milk Fermented by Lactiplantibacillus plantarum SR37-3 and SR61-2 in L-NAME-Induced Hypertensive Rats. Foods, 2022. 11, DOI: 10.3390/foods11152332.
- 161. Yang, X.-F., et al., Myeloid Angiotensin II Type 1 Receptor Mediates Macrophage Polarization and Promotes Vascular

- Injury in DOCA/Salt Hypertensive Mice. Frontiers in Pharmacology, 2022. 13.
- 162. Yang, X., et al., Activation of Piezo1 downregulates renin in juxtaglomerular cells and contributes to blood pressure homeostasis. Cell & Bioscience, 2022. 12(1): p. 197.
- 163. Yang, L., et al., The association of dietary glutamine supplementation with the development of high salt-induced hypertension in rats. Frontiers in Nutrition, 2022. 9.
- 164. Xu, D., et al., Activation of cannabinoid receptor 2 attenuates Angiotensin II-induced atrial fibrillation via a potential NOX/CaMKII mechanism. Frontiers in Cardiovascular Medicine, 2022. 9.
- 165. Wu, S., et al., Antihypertensive effect and underlying mechanism of tripeptide NCW on spontaneously hypertensive rats using metabolomics analysis. Food & Function, 2022. 13(4): p. 1808-1821.
- 166. Wang, Z., et al., Berberine Improves Vascular Dysfunction by Inhibiting Trimethylamine-N-oxide via Regulating the Gut Microbiota in Angiotensin II-Induced Hypertensive Mice. Frontiers in Microbiology, 2022. 13.
- 167. Wang, Y., et al. Comparison of the Chemical Components, Efficacy and Mechanisms of Action of Chrysanthemum morifolium Flower and Its Wild Relative Chrysanthemum indicum Flower against Liver-Fire Hyperactivity Syndrome of Hypertension via Integrative Analyses. International Journal of Molecular Sciences, 2022. 23, DOI: 10.3390/ijms232213767.
- 168. Wang, X., et al., Dexamethasone attenuated thoracic aortic aneurysm and dissection in vascular smooth muscle cell Tgfbr2-disrupted mice with CCL8 suppression. Exp Physiol, 2022. 107(6): p. 631-645.
- 169. Wang, P., et al., DNA Polymerase Gamma Recovers Mitochondrial Function and Inhibits Vascular Calcification by Interacted with p53. Int J Biol Sci, 2022. 18(1): p. 409-425.
- 170. Wang, M., et al., Diacerein alleviates Ang II-induced cardiac inflammation and remodeling by inhibiting the MAPKs/c-Myc pathway. Phytomedicine, 2022. 106: p. 154387.
- 171. Wang, M., et al., Corynoline protects ang II-induced hypertensive heart failure by increasing PPARα and Inhibiting NF-κB pathway. Biomedicine & Pharmacotherapy, 2022. 150: p. 113075.
- 172. Wang, L., et al., Phenotype Shifting in Astrocytes Account for Benefits of Intra-Arterial Selective Cooling Infusion in Hypertensive Rats of Ischemic Stroke. Neurotherapeutics, 2022. 19(1): p. 386-398.
- 173. Suo, Q., et al., Isolation, identification and in vivo antihypertensive effect of novel angiotensin I-converting enzyme (ACE) inhibitory peptides from Spirulina protein hydrolysate. Food & Function, 2022. 13(17): p. 9108-9118.
- 174. Song, H., et al., Circular RNA Cdyl promotes abdominal aortic aneurysm formation by inducing M1 macrophage polarization and M1-type inflammation. Molecular Therapy, 2022. 30(2): p. 915-931.
- 175. Si, X., et al., MicroRNA-23b prevents aortic aneurysm formation by inhibiting smooth muscle cell phenotypic switching via FoxO4 suppression. Life Sciences, 2022. 288: p. 119092.
- 176. Shen, X., et al., Preeclampsia associated changes in volume density of fetoplacental vessels in Chinese women and mouse model of preeclampsia. Placenta, 2022. 121: p. 116-125.
- 177. Ren, K.-W., et al., Cardiac-specific knockdown of Bhlhe40 attenuates angiotensin II (Ang II)-Induced atrial fibrillation in mice. Frontiers in Cardiovascular Medicine, 2022. 9.
- 178. Ma, Y., et al., 1,25(OH)2D3 alleviates LPS-induced preeclampsia-like rats impairment in the protective effect by TLR4/NF-kB pathway. Placenta, 2022. 130: p. 34-41.
- 179. Ma, S., et al., Qian Yang Yu Yin granule improves hypertensive renal damage: A potential role for TRPC6-CaMKK-AMPK-mTOR-mediated autophagy. J Ethnopharmacol, 2022. 302(Pt A): p. 29.
- 180. Luo, L., et al., Inulin-type fructans change the gut microbiota and prevent the development of diabetic nephropathy. Pharmacological Research, 2022. 183: p. 106367.
- 181. Liu, Y., et al., Renal lysophospholipase A1 contributes to Enterococcus faecalis-induced hypertension by enhancing sodium reabsorption. iScience, 2022. 25(12).
- 182. Liu, Y., et al., Angiotensin 1-7 and its analogue decrease blood pressure but aggravate renal damage in preeclamptic mice. Exp Anim, 2022. 71(4): p. 519-528.
- 183. Liu, X.l., et al., Mesenchymal Stem Cells Improve Cognitive Impairment and Reduce A\beta Deposition via Promoting AQP4 Polarity and Relieving Neuroinflammation in Rats With Chronic Hypertension-Induced Cerebral Small-Vessel Disease. Frontiers in Aging Neuroscience, 2022. 14.
- 184. Liu, X., et al., Trophoblast-Derived Extracellular Vesicles Promote Preeclampsia by Regulating Macrophage

- Polarization. Hypertension, 2022. 79(10): p. 2274-2287.
- 185. Liu, J., L. Yao, and Y. Wang, Resveratrol alleviates preeclampsia-like symptoms in rats through a mechanism involving the miR-363-3p/PEDF/VEGF axis. Microvasc Res, 2022. 146(104451): p. 9.
- 186. Lin, T., et al., Disturbance of Fatty Acid Metabolism Promoted Vascular Endothelial Cell Senescence via Acetyl-CoA-Induced Protein Acetylation Modification. Oxidative Medicine and Cellular Longevity, 2022. 2022(1): p. 1198607.
- 187. Lin, K., et al., Inhibition of MyD88 attenuates angiotensin II-induced hypertensive kidney disease via regulating renal inflammation. International Immunopharmacology, 2022. 112: p. 109218.
- 188. Li, Z., et al., R158Q and G212S, novel pathogenic compound heterozygous variants in SLC12A3 of Gitelman syndrome. Frontiers of Medicine, 2022. 16(6): p. 932-945.
- 189. Li, S., et al., Endoplasmic Reticulum Stress Contributes to Ventilator-Induced Diaphragm Atrophy and Weakness in Rats. Frontiers in Physiology, 2022. 13.
- 190. Li, S., et al., Fibroblast Growth Factor 21 Ameliorates Endothelin I-Induced Hypertension Partly Through PPAR γ Pathway. International Journal of Peptide Research and Therapeutics, 2022. 28(4): p. 108.
- 191. Huang, L., et al. Puerariae lobatae Radix Alleviates Pre-Eclampsia by Remodeling Gut Microbiota and Protecting the Gut and Placental Barriers. Nutrients, 2022. 14, DOI: 10.3390/nu14235025.
- 192. Hong, Y.-H., et al., Enhanced Oral NO Delivery through Bioinorganic Engineering of Acid-Sensitive Prodrug into a Transformer-like DNIC@MOF Microrod. ACS Applied Materials & Interfaces, 2022. 14(3): p. 3849-3863.
- 193. Ho, J.-H., et al. Bioactive Peptides and Exercise Modulate the AMPK/SIRT1/PGC-1α/FOXO3 Pathway as a Therapeutic Approach for Hypertensive Rats. Pharmaceuticals, 2022. 15, DOI: 10.3390/ph15070819.
- 194. Ho, J.-H., et al. Dipeptide IF and Exercise Training Attenuate Hypertension in SHR Rats by Inhibiting Fibrosis and Hypertrophy and Activating AMPKα1, SIRT1, and PGC1α. International Journal of Molecular Sciences, 2022. 23, DOI: 10.3390/ijms23158167.
- 195. Guo, Y., et al., The preventive effect of low-dose aspirin in a PPAR- γ antagonist treated mouse model of preeclampsia. BMC Pregnancy and Childbirth, 2022. 22(1): p. 606.
- 196. Guo, H., et al., Recombinant protein diannexin prevents preeclampsia-like symptoms in a pregnant mouse model via reducing the release of microparticles. Front Med, 2022. 16(6): p. 919-931.
- 197. Guan, X., et al., Prenatal inflammation exposure-programmed hypertension exhibits multi-generational inheritance via disrupting DNA methylome. Acta Pharmacol Sin, 2022. 43(6): p. 1419-1429.
- 198. Gu, Y.-H., et al., Administration of USP7 inhibitor P22077 inhibited cardiac hypertrophy and remodeling in Ang II-induced hypertensive mice. Frontiers in Pharmacology, 2022. 13.
- 199. Ge, C., et al., Silencing of TLR4 Inhibits Atrial Fibrosis and Susceptibility to Atrial Fibrillation via Downregulation of NLRP3-TGF-β in Spontaneously Hypertensive Rats. Disease Markers, 2022. 2022(1): p. 2466150.
- 200. Gao, X., et al., Dietary supplementation of L-carnitine ameliorates metabolic syndrome independent of trimethylamine N-oxide produced by gut microbes in high-fat diet-induced obese mice. Food Funct, 2022. 13(23): p. 12039-12050.
- 201. Du, W., et al. Effect of Flavonoids in Hawthorn and Vitamin C Prevents Hypertension in Rats Induced by Heat Exposure. Molecules, 2022. 27, DOI: 10.3390/molecules27030866.
- 202. Di, Y.-l., et al., Formic acid induces hypertension-related hemorrhage in hSSAOTG in mice and human. Experimental Neurology, 2022. 358: p. 114208.
- 203. Deng, Y., et al., Hyperhomocysteinemia Promotes Cardiac Hypertrophy in Hypertension. Oxidative Medicine and Cellular Longevity, 2022. 2022(1): p. 1486157.
- 204. Dai, C., et al., Tabersonine attenuates Angiotensin II-induced cardiac remodeling and dysfunction through targeting TAK1 and inhibiting TAK1-mediated cardiac inflammation. Phytomedicine, 2022. 103: p. 154238.
- 205. Chen, Z., et al., Modulation of the Gut Microbiota by Fufang-Zhenzhu-Tiaozhi Capsule Attenuates Hypertension Induced by a High-Fructose and High-Salt Diet. Frontiers in Cellular and Infection Microbiology, 2022. 12.
- 206. Chen, C., et al., Sulfasalazine exacerbates angiotensin II-induced cardiac remodelling by activating Akt signal pathway. Clinical and Experimental Pharmacology and Physiology, 2022. 49(7): p. 776-783.
- 207. Cai, Z., et al., Angiotensin II Promotes White Adipose Tissue Browning and Lipolysis in Mice. Oxidative Medicine and Cellular Longevity, 2022. 2022(1): p. 6022601.

- 208. Baskaran, R., et al., VH-4-A Bioactive Peptide from Soybean and Exercise Training Constrict Hypertension in Rats through Activating Cell Survival and AMPKa1, Sirt1, PGC1a, and FoX3a. Molecules, 2022. 27(22).
- 209. Maternal high salt-diet increases offspring's blood pressure with dysfunction of NO/PKGI signaling pathway in heart tissue. Gynecology and Obstetrics Clinical Medicine, 2022. 2(2): p. 69-75.
- 210. Zhou, Y., et al., Ventromedial Hypothalamus Activation Aggravates Hypertension Myocardial Remodeling Through the Sympathetic Nervous System. Frontiers in Cardiovascular Medicine, 2021. 8.
- 211. Zhou, M., et al., The short-chain fatty acid propionate improved ventricular electrical remodeling in a rat model with myocardial infarction. Food & Function, 2021. 12(24): p. 12580-12593.
- 212. Zheng, T.F., et al., Dickkopf-1 promotes Vascular Smooth Muscle Cell proliferation and migration through upregulating UHRF1 during Cyclic Stretch application. Int J Biol Sci, 2021. 17(5): p. 1234-1249.
- 213. Zheng, J., et al., Immunotherapy against angiotensin II receptor ameliorated insulin resistance in a leptin receptor-dependent manner. The FASEB Journal, 2021. 35(1): p. e21157.
- 214. Zhang, Z., et al., Telmisartan Attenuates the Growth of Epithelium-like Cells and Glomerular Injury in Spontaneously Hypertensive Rats. Curr Med Sci, 2021. 41(3): p. 498-504.
- 215. Zhang, Z., et al., Hydrogen-saturated saline mediated neuroprotection through autophagy via PI3K/AKT/mTOR pathway in early and medium stages of rotenone-induced Parkinson's disease rats. Brain Research Bulletin, 2021. 172: p. 1-13.
- 216. Zhang, Y., et al., Dapagliflozin: a sodium-glucose cotransporter 2 inhibitor, attenuates angiotensin II-induced cardiac fibrotic remodeling by regulating TGF1/Smad signaling. Cardiovasc Diabetol, 2021. 20(1): p. 021-01312.
- 217. Zhang, J., et al., Inhibition of YAP activation attenuates renal injury and fibrosis in angiotensin II hypertensive mice. Can J Physiol Pharmacol, 2021. 99(10): p. 1000-1006.
- 218. Ye, D., et al., (Pro)renin Receptor Inhibition Reduces Plasma Cholesterol and Triglycerides but Does Not Attenuate Atherosclerosis in Atherosclerotic Mice. Frontiers in Cardiovascular Medicine, 2021. 8.
- 219. Xing, Q., et al., Comparative studies on regional variations in PM(2.5) in the induction of myocardial hypertrophy in mice. Sci Total Environ, 2021. 775(145179): p. 10.
- 220. Weng, H.C., et al., Fibroblast growth factor 21 attenuates salt-sensitive hypertension-induced nephropathy through anti-inflammation and anti-oxidation mechanism. Mol Med, 2021. 27(1): p. 021-00408.
- 221. Wang, Y., et al., Sympathetic Nervous System Mediates Cardiac Remodeling After Myocardial Infarction in a Circadian Disruption Model. Frontiers in Cardiovascular Medicine, 2021. 8.
- 222. Wang, X., et al., Dexamethasone reduces the formation of thoracic aortic aneurysm and dissection in a murine model. Exp Cell Res, 2021. 405(2): p. 10.
- 223. Wang, P., et al., Altered expression of microRNAs in the rat diaphragm in a model of ventilator-induced diaphragm dysfunction after controlled mechanical ventilation. BMC Genomics, 2021. 22(1): p. 671.
- 224. Wang, L., et al., Acupuncture Attenuates Blood Pressure via Inducing the Expression of nNOS. Evid Based Complement Alternat Med, 2021. 2021(9945277): p. 2021.
- 225. Wang, J., et al., Inhibition of plasma kallikrein mitigates experimental hypertension-enhanced cerebral hematoma expansion. Brain Res Bull, 2021. 170: p. 49-57.
- 226. Wang, J., et al., Bazedoxifene Regulates Th17 Immune Response to Ameliorate Experimental Autoimmune myocarditis via Inhibition of STAT3 Activation. Frontiers in Pharmacology, 2021. 11.
- 227. Tian, Y., et al., Macrophage depletion protects against endothelial dysfunction and cardiac remodeling in angiotensin II hypertensive mice. Clin Exp Hypertens, 2021. 43(8): p. 699-706.
- 228. Song, F.Q., et al., Overexpressing STAMP2 attenuates diabetic renal injuries via upregulating autophagy in diabetic rats. Biochem Biophys Res Commun, 2021. 579: p. 47-53.
- 229. Shen, Y., et al., Prostaglandin E1 attenuates AngII-induced cardiac hypertrophy via EP3 receptor activation and Netrin-Iupregulation. J Mol Cell Cardiol, 2021. 159: p. 91-104.
- 230. Qin, Y., et al., Protective effects of astragaloside IV against hypertension-induced vascular remodeling involves the DNMT1 and TET2 signaling pathway. Archives of Biological Sciences, 2021. 73(2): p. 303-313.
- 231. Pang, Y., et al. Effects of Rare Earth Elements on Blood Pressure and Their Exposure Biomarkers: Evidence from Animal Experiments. International Journal of Environmental Research and Public Health, 2021. 18, DOI:

- 10.3390/ijerph18189836.
- 232. Mo, Y., et al., Microbiome-Metabolomics Analysis Reveals the Protection Mechanism of α-Ketoacid on Adenine-Induced Chronic Kidney Disease in Rats. Frontiers in Pharmacology, 2021. 12.
- 233. Liu, S., et al., Long-term inhibition of UCHL1 decreases hypertension and retinopathy in spontaneously hypertensive rats. Journal of International Medical Research, 2021. 49(6): p. 03000605211020641.
- 234. Liu, R., et al., Transcriptome profiling of the diaphragm in a controlled mechanical ventilation model reveals key genes involved in ventilator-induced diaphragmatic dysfunction. BMC Genomics, 2021. 22(1): p. 472.
- 235. Liu, M., et al., Pancreatic Microcirculation Profiles in the Progression of Hypertension in Spontaneously Hypertensive Rats. Am J Hypertens, 2021. 34(1): p. 100-109.
- 236. Liu, D., et al., Placenta-derived IL-32β activates neutrophils to promote preeclampsia development. Cellular & Molecular Immunology, 2021. 18(4): p. 979-991.
- 237. Liu, C., et al., Increased AT1 receptor expression mediates vasoconstriction leading to hypertension in Snx1-/- mice. Hypertension Research, 2021. 44(8): p. 906-917.
- 238. Li, Y., et al., Salidroside protects cardiac function in mice with diabetic cardiomyopathy via activation of mitochondrial biogenesis and SIRT3. Phytother Res, 2021. 35(8): p. 4579-4591.
- 239. Li, Y., et al., Vascular smooth muscle cell-specific miRNA-214 knockout inhibits angiotensin II-induced hypertension through upregulation of Smad7. The FASEB Journal, 2021. 35(11): p. e21947.
- 240. Li, S., et al., Prenatal exercise reprograms the development of hypertension progress and improves vascular health in SHR offspring. Vascular Pharmacology, 2021. 139: p. 106885.
- 241. Li, H., et al., Lysyl hydroxylase 1 (LH1) deficiency promotes angiotensin II (Ang II)-induced dissecting abdominal aortic aneurysm. Theranostics, 2021. 11(19): p. 9587-9604.
- 242. Li, H., et al., LOXL4 Abrogation Does Not Exaggerate Angiotensin II-Induced Thoracic or Abdominal Aortic Aneurysm in Mice. Genes, 2021. 12(4): p. 513.
- 243. Huang, S., et al., Myeloid differentiation 2 deficiency attenuates AngII-induced arterial vascular oxidative stress, inflammation, and remodeling. Aging (Albany NY), 2021. 13(3): p. 4409-4427.
- 244. Hu, J., et al., Thromboxane A(2) is involved in the development of hypertension in chronic kidney disease rats. Eur J Pharmacol, 2021. 909(174435): p. 17.
- 245. Hao, H., et al., Excessive fibroblast growth factor 23 promotes renal fibrosis in mice with type 2 cardiorenal syndrome. Aging (Albany NY), 2021. 13(2): p. 2982-3009.
- 246. Han, Z.-L., et al., Potassium Alginate Oligosaccharides Alter Gut Microbiota, and Have Potential to Prevent the Development of Hypertension and Heart Failure in Spontaneously Hypertensive Rats. International Journal of Molecular Sciences, 2021. 22(18).
- 247. Guo, Y., et al., The preventive function of low-dose aspirin in mice with preeclampsia induced by PPAR- antagonist. 2021.
- 248. Feng, Y., et al., Collagen I Induces Preeclampsia-Like Symptoms by Suppressing Proliferation and Invasion of Trophoblasts. Frontiers in Endocrinology, 2021. 12.
- 249. Dong, Q., et al., Tetrahydroxystilbene glycoside improves endothelial dysfunction and hypertension in obese rats: The role of omentin-1. Biochemical pharmacology, 2021. 186: p. 114489.
- 250. Chen, Y., et al., Aerobic training-mediated DNA hypermethylation of Agtr1a and Mas1 genes ameliorate mesenteric arterial function in spontaneously hypertensive rats. Molecular Biology Reports, 2021. 48(12): p. 8033-8044.
- 251. Chen, Y., et al., Aerobic Exercise Upregulates DNA Methylation of Agtr1a and Mas1 Genes to Improve Mesenteric Arterial Function in Spontaneously Hypertensive Rats. 2021.
- 252. Zhou, X.-L., et al., Lung-protective ventilation worsens ventilator-induced diaphragm atrophy and weakness. Respiratory research, 2020. 21(1): p. 16-16.
- 253. Zhang, Y.L., et al., Selective blocking of CXCR2 prevents and reverses atrial fibrillation in spontaneously hypertensive rats. J Cell Mol Med, 2020. 24(19): p. 11272-11282.
- 254. Zhang, Y., et al., Aloe emodin relieves Ang II-induced endothelial junction dysfunction via promoting ubiquitination mediated NLRP3 inflammasome inactivation. J Leukoc Biol, 2020. 108(6): p. 1735-1746.
- 255. Zhang, Y., et al., Chronic exercise mediates epigenetic suppression of L-type Ca2+ channel and BKCa channel in

- mesenteric arteries of hypertensive rats. Journal of Hypertension, 2020. 38(9).
- 256. Zhang, T., et al., Excess salt intake promotes M1 microglia polarization via a p38/MAPK/AR-dependent pathway after cerebral ischemia in mice. International immunopharmacology, 2020. 81: p. 106176-106176.
- 257. Zhang, R., et al., Vagus Nerve Stimulation Transiently Mitigates Chemotherapy-Induced Peripheral Neuropathy in Rats. J Pain Res, 2020. 13: p. 3457-3465.
- 258. Yu, Z., et al., In vivo anti--hypertensive effect of peptides from egg white and its molecular mechanism with ACE. International Journal of Food Science & Technology, 2020.
- 259. Ying, Z., et al., Neuroprotectin D1 Protects Against Postoperative Delirium-like Behaviors in Aged Mice by Regulating Neuroinflammation Induced by Surgical Trauma. 2020.
- 260. Yan, Z., et al., Integrated metabolomics and gut microbiome to the effects and mechanisms of naoxintong capsule on type 2 diabetes in rats. Sci Rep, 2020. 10(1): p. 020-67362.
- 261. Yan, W., et al., Deficiency of the Immunoproteasome LMP10 Subunit Attenuates Angiotensin II-Induced Cardiac Hypertrophic Remodeling via Autophagic Degradation of gp130 and IGF1R. Front Physiol, 2020. 11(625): p. 2020.
- 262. Xu, X., et al., Glucokinase in stellate ganglia cooperates with P2X3 receptor to develop cardiac sympathetic neuropathy in type 2 diabetes rats. Brain Res Bull, 2020. 165: p. 290-297.
- 263. Xu, M.X., et al., Dysfunctional Rhbdf2 of proopiomelanocortin mitigates ambient particulate matter exposure-induced neurological injury and neuron loss by antagonizing oxidative stress and inflammatory reaction. J Hazard Mater, 2020. 400(123158): p. 12.
- 264. Xu, H., et al., Endothelial cell prostaglandin E2 receptor EP4 is essential for blood pressure homeostasis. JCI Insight, 2020. 5(13).
- 265. Xiao, J., et al., All-trans retinoic acid attenuates the progression of Ang II-induced abdominal aortic aneurysms in ApoE(-/-)mice. J Cardiothorac Surg, 2020. 15(1): p. 020-01208.
- 266. Wu, D., et al., Vaccine Against PCSK9 Improved Renal Fibrosis by Regulating Fatty Acid β-Oxidation. Journal of the American Heart Association, 2020. 9(1): p. e014358-e014358.
- 267. Wang, Y., X. Du, and J. Wang, Transfer of miR-15a-5p by placental exosomes promotes pre-eclampsia progression by regulating PI3K/AKT signaling pathway via CDK1. Molecular Immunology, 2020. 128: p. 277-286.
- 268. Song, X., et al., Zi Shen Huo Luo Formula Enhances the Therapeutic Effects of Angiotensin-Converting Enzyme Inhibitors on Hypertensive Left Ventricular Hypertrophy by Interfering With Aldosterone Breakthrough and Affecting Caveolin-1/Mineralocorticoid Receptor Colocalization and Downstream Extracellular Signal-Regulated Kinase Signaling. Front Pharmacol, 2020. 11(383): p. 2020.
- 269. Ren, H., et al., Metformin alleviates oxidative stress and enhances autophagy in diabetic kidney disease via AMPK/SIRT1-FoxO1 pathway. Molecular and cellular endocrinology, 2020. 500: p. 110628-110628.
- 270. Ren, A.J., et al., Zbtb20 deficiency causes cardiac contractile dysfunction in mice. Faseb J, 2020. 34(10): p. 13862-13876.
- 271. Lv, Y.-l., et al., Curcumin inhibits the formation of atherosclerosis in ApoE-/- mice by suppressing cytomegalovirus activity in endothelial cells. Life Sciences, 2020. 257: p. 117658.
- 272. Luo, M., et al., Tubeimoside I improves survival of mice in sepsis by inhibiting inducible nitric oxide synthase expression. Biomed Pharmacother, 2020. 126(110083): p. 6.
- 273. Luo, H.M., et al., Calcitonin gene-related peptide inhibits angiotensin II-induced NADPH oxidase-dependent ROS via the Src/STAT3 signalling pathway. J Cell Mol Med, 2020. 24(11): p. 6426-6437.
- 274. Luo, D., et al., (-)-Epigallocatechin-3-gallate (EGCG) attenuates salt-induced hypertension and renal injury in Dahl salt-sensitive rats. Scientific Reports, 2020. 10(1): p. 4783.
- 275. Lu, Y., et al., Surgery/Anesthesia disturbs mitochondrial fission/fusion dynamics in the brain of aged mice with postoperative delirium. Aging (Albany NY), 2020. 12(1): p. 844-865.
- 276. Lin, Y., et al., Canagliflozin impairs blood reperfusion of ischaemic lower limb partially by inhibiting the retention and paracrine function of bone marrow derived mesenchymal stem cells. EBioMedicine, 2020. 52: p. 102637-102637.
- 277. Lin, K., et al., TLR2 regulates angiotensin II-induced vascular remodeling and EndMT through NF-κB signaling. Aging (Albany NY), 2020. 13(2): p. 2553-2574.
- 278. Liang, Y., et al., Generation and Characterization of a New Resistance to Thyroid Hormone Mouse Model with Thyroid

- Hormone Receptor Alpha Gene Mutation. Thyroid, 2020. 31(4): p. 678-691.
- 279. Li, S.-P., X.-L. Zhou, and Y. Zhao, Sedation with midazolam worsens the diaphragm function than dexmedetomidine and proposol during mechanical ventilation in rats. Biomedicine & Pharmacotherapy, 2020. 121: p. 109405.
- 280. Li, S.-P., et al., Effect of Mild Hypothermia on the Diaphragmatic Microcirculation and Function in A Murine Cardiopulmonary Resuscitated Model. Shock, 2020. 54(4).
- 281. Li, L., et al., Cytoglobin overexpression facilitates proliferation and migration of vascular smooth muscle cells. Archives of Biological Sciences, 2020. 72(2): p. 165-172.
- 282. Li, J., et al., An efficient controlled release strategy for hypertension therapy: Folate-mediated lipid nanoparticles for oral peptide delivery. Pharmacol Res, 2020. 157(104796): p. 8.
- 283. Li, H., et al., Alterations of gut microbiota contribute to the progression of unruptured intracranial aneurysms. Nature Communications, 2020. 11(1): p. 3218.
- 284. Li, H., et al., Trimetazidine Ameliorates Myocardial Metabolic Remodeling in Isoproterenol-Induced Rats Through Regulating Ketone Body Metabolism via Activating AMPK and PPAR . Frontiers in Pharmacology, 2020. 11.
- 285. Li, B., et al., Hypertensive Rats Treated Chronically With Nω-Nitro-L-Arginine Methyl Ester (L-NAME) Induced Disorder of Hepatic Fatty Acid Metabolism and Intestinal Pathophysiology. Frontiers in Pharmacology, 2020. 10.
- 286. Jiang, L.P., et al., Effects of ivabradine on ventricular electrophysiological remodeling after myocardial infarction in rats. Arch Med Sci, 2020. 19(5): p. 1497-1507.
- 287. Huang, C.Y., et al., Bioactive peptides attenuate cardiac hypertrophy and fibrosis in spontaneously hypertensive rat hearts. Journal of Food and Drug Analysis, 2020. 28(1): p. 94-102.
- 288. Han, X., et al., Blockage of UCHL1 activity attenuates cardiac remodeling in spontaneously hypertensive rats. Hypertens Res, 2020. 43(10): p. 1089-1098.
- 289. Fu, Y., et al., Elevation of JAML Promotes Diabetic Kidney Disease by Modulating Podocyte Lipid Metabolism. Cell Metabolism, 2020. 32(6): p. 1052-1062.e8.
- 290. Fu, W., et al., Antihypertensive effects of Trichiurus lepturus myosin hydrolysate in spontaneously hypertensive rats. Food Funct, 2020. 11(4): p. 3645-3656.
- 291. Du, X., et al., The Role of a Selective P2Y6 Receptor Antagonist, MRS2578, on the Formation of Angiotensin II-Induced Abdominal Aortic Aneurysms. BioMed research international, 2020. 2020(1): p. 1983940.
- 292. Cui, T., et al., Antihypertensive effects of allicin on spontaneously hypertensive rats via vasorelaxation and hydrogen sulfide mechanisms. Biomed Pharmacother, 2020. 128(110240): p. 29.
- 293. Cui, J., et al., MiR-101-containing extracellular vesicles bind to BRD4 and enhance proliferation and migration of trophoblasts in preeclampsia. Stem Cell Research & Therapy, 2020. 11(1): p. 231.
- 294. Chu, H., et al., Relationship Between Hematoma Expansion Induced by Hypertension and Hyperglycemia and Blood-brain Barrier Disruption in Mice and Its Possible Mechanism: Role of Aquaporin-4 and Connexin43. Neuroscience Bulletin, 2020. 36(11): p. 1369-1380.
- 295. Chen, Z., et al., Dipeptidyl peptidase-4 inhibition improves endothelial senescence by activating AMPK/SIRT1/Nrf2 signaling pathway. Biochem Pharmacol, 2020. 177(113951): p. 3.
- 296. Chen, P., et al., FGF-21 ameliorates essential hypertension of SHR via baroreflex afferent function. Brain research bulletin, 2020. 154: p. 9-20.
- 297. Chang, Y., et al., Short-chain fatty acids accompanying changes in the gut microbiome contribute to the development of hypertension in patients with preeclampsia. Clinical science (London, England: 1979), 2020. 134(2): p. 289-302.
- 298. Cai, R., et al., Tumor Necrosis Factor Alpha Deficiency Improves Endothelial Function and Cardiovascular Injury in Deoxycorticosterone Acetate/Salt-Hypertensive Mice. BioMed research international, 2020. 2020(1): p. 3921074.
- 299. Bi, H.-L., et al., Inhibition of UCHL1 by LDN-57444 attenuates Ang II—Induced atrial fibrillation in mice. Hypertension Research, 2020. 43(3): p. 168-177.
- 300. Zhou, X.-L., et al., Interactions between Cytosolic Phospholipase A2 Activation and Mitochondrial Reactive Oxygen Species Production in the Development of Ventilator-Induced Diaphragm Dysfunction. Oxidative Medicine and Cellular Longevity, 2019. 2019(1): p. 2561929.
- 301. Zhang, Y.-L., et al., Chronic inhibition of chemokine receptor CXCR2 attenuates cardiac remodeling and dysfunction in spontaneously hypertensive rats. Biochimica et biophysica acta. Molecular basis of disease, 2019. 1865(12): p.

- 165551-165551.
- 302. Zhang, L., et al., Role of the Balance of Akt and MAPK Pathways in the Exercise-Regulated Phenotype Switching in Spontaneously Hypertensive Rats. International Journal of Molecular Sciences, 2019. 20(22).
- 303. Zhang, H., et al., ATRQβ-001 Vaccine Prevents Experimental Abdominal Aortic Aneurysms. Journal of the American Heart Association, 2019. 8(18): p. e012341.
- 304. Zhang, B., et al., Ligustrazine prevents basilar artery remodeling in two-kidney-two-clip renovascular hypertension rats via suppressing PI3K/Akt signaling. Microvascular research, 2019. 128: p. 103938-103938.
- 305. Yuan, R.Q., et al., Cucurbitacins extracted from Cucumis melo L. (CuEC) exert a hypotensive effect via regulating vascular tone. Hypertens Res, 2019. 2019(8): p. 019-0258.
- 306. Yuan, M., et al., Direct activation of tachykinin receptors within baroreflex afferent pathway and neurocontrol of blood pressure regulation. CNS Neuroscience & Therapeutics, 2019. 25(1): p. 123-135.
- 307. You, S., et al., Schizandrin B attenuates angiotensin II induced endothelial to mesenchymal transition in vascular endothelium by suppressing NF-κB activation. Phytomedicine, 2019. 62: p. 152955.
- 308. Ye, F., et al., Impact of moderate- and high-intensity exercise on the endothelial ultrastructure and function in mesenteric arteries from hypertensive rats. Life Sci, 2019. 222: p. 36-45.
- 309. Yan, Z., et al., Rotundic Acid Protects against Metabolic Disturbance and Improves Gut Microbiota in Type 2 Diabetes Rats. Nutrients, 2019. 12(1): p. E67.
- 310. Xu, Z., et al., Inhibition of STAT3 activation mediated by toll-like receptor 4 attenuates angiotensin II-induced renal fibrosis and dysfunction. British Journal of Pharmacology, 2019. 176(14): p. 2627-2641.
- 311. Xu, Z., et al., Inhibition of TLR4-mediated STAT3 activation attenuates Angiotensin II-induced renal fibrosis and dysfunction. Br J Pharmacol, 2019. 2019(8): p. 14686.
- 312. Xie, X., et al., Comparing the effects of diethylhexyl phthalate and dibutyl phthalate exposure on hypertension in mice. Ecotoxicol Environ Saf, 2019. 174: p. 75-82.
- 313. Wu, H., et al., The reduction of apnea-hypopnea duration ameliorates endothelial dysfunction, vascular inflammation, and systemic hypertension in a rat model of obstructive sleep apnea. Sleep Breath, 2019. 2019(14): p. 019-01798.
- 314. Wu, F., et al., Circular RNA TLK1 Aggravates Neuronal Injury and Neurological Deficits after Ischemic Stroke via miR-335-3p/TIPARP. The Journal of neuroscience: the official journal of the Society for Neuroscience, 2019. 39(37): p. 7369-7393.
- 315. Wu, D., et al., Candesartan attenuates hypertension-associated pathophysiological alterations in the gut. Biomedicine & pharmacotherapy = Biomedecine & pharmacotherapie, 2019. 116: p. 109040-109040.
- 316. Sun, Y., et al., LncRNA H19 promotes vascular inflammation and abdominal aortic aneurysm formation by functioning as a competing endogenous RNA. Journal of Molecular and Cellular Cardiology, 2019. 131: p. 66-81.
- 317. Sui, Y., et al., A branched arabinoglucan from Angelica sinensis ameliorates diabetic renal damage in rats. Phytother Res, 2019. 33(3): p. 818-831.
- 318. Sui, Y., et al., A branched arabinoglucan from ameliorates diabetic renal damage in rats. Phytotherapy Research, 2019. 33(3): p. 818-831.
- 319. Liu, T., et al., The mechanism of RNA oxidation involved in the development of heart failure. Free radical research, 2019. 53(8): p. 910-921.
- 320. Liu, P., et al., Sensory plasticity of carotid body is correlated with oxidative stress in paraventricular nucleus during chronic intermittent hypoxia. J Cell Physiol, 2019. 234(8): p. 13534-13543.
- 321. Liu, P., et al., Purification, Characterization and Evaluation of Inhibitory Mechanism of ACE Inhibitory Peptides from Pearl Oyster (Pinctada fucata martensii) Meat Protein Hydrolysate. Marine drugs, 2019. 17(8): p. 463.
- 322. Liu, H., et al., Ginsenoside Rg3 Attenuates Angiotensin II-Mediated Renal Injury in Rats and Mice by Upregulating Angiotensin-Converting Enzyme 2 in the Renal Tissue. Evidence-based complementary and alternative medicine: eCAM, 2019. 2019: p. 6741057-6741057.
- 323. Lin, P., et al., Magnesium lithospermate B improves renal hemodynamics and reduces renal oxygen consumption in 5/6th renal ablation/infarction rats. BMC Nephrol, 2019. 20(1): p. 019-1221.
- 324. Liang, Q., et al., Antitumorigenic and antiangiogenic efficacy of apatinib in liver cancer evaluated by multimodality molecular imaging. Experimental & Molecular Medicine, 2019. 51(7): p. 1-11.

- 325. Li, X., et al., l-arginine alleviates doxorubicin-induced endothelium-dependent dysfunction by promoting nitric oxide generation and inhibiting apoptosis. Toxicology, 2019. 423: p. 105-111.
- 326. Li, S.-C., et al., High Sodium Intake Impairs Small Artery Vasoreactivity in vivo in Dahl Salt-Sensitive Rats. Journal of vascular research, 2019. 56(2): p. 65-76.
- 327. Li, S., et al., Exercise during pregnancy enhances vascular function via epigenetic repression of CaV1.2 channel in offspring of hypertensive rats. Life Sciences, 2019. 231: p. 116576.
- 328. Huang, G., et al., Targeting HSP90 attenuates angiotensin II-induced adventitial remodeling via suppression of mitochondrial fission. Cardiovascular Research, 2019: p. cvz194.
- 329. Ding, L., et al., Baicalin relaxes vascular smooth muscle and lowers blood pressure in spontaneously hypertensive rats. Biomed Pharmacother, 2019. 111: p. 325-330.
- 330. Deng, T., et al., Di-(2-ethylhexyl) phthalate induced an increase in blood pressure via activation of ACE and inhibition of the bradykinin-NO pathway. Environ Pollut, 2019. 247: p. 927-934.
- 331. Deng, T., et al., Exposure to diisononyl phthalate induced an increase in blood pressure through activation of the ACE/ATIR axis and inhibition of NO production. Toxicol Lett, 2019. 309: p. 42-50.
- 332. Dai, Y., et al., Immunotherapy of Endothelin-1 Receptor Type A for Pulmonary Arterial Hypertension. JACC, 2019. 73(20): p. 2567-2580.
- 333. Cui, C., et al., Vitamin D receptor activation regulates microglia polarization and oxidative stress in spontaneously hypertensive rats and angiotensin II-exposed microglial cells: Role of renin-angiotensin system. Redox biology, 2019. 26: p. 101295-101295.
- 334. Chen, Z., et al., Combined effect of titanium dioxide nanoparticles and glucose on the cardiovascular system in young rats after oral administration. J Appl Toxicol, 2019. 39(4): p. 590-602.
- 335. Chen, Y., et al., Aerobic exercise-induced inhibition of PKCα/CaV1.2 pathway enhances the vasodilation of mesenteric arteries in hypertension. Archives of Biochemistry and Biophysics, 2019. 678: p. 108191.
- 336. Chen, J.-X., et al., 5-Lipoxagenase deficiency attenuates L-NAME-induced hypertension and vascular remodeling. Biochimica et biophysica acta. Molecular basis of disease, 2019. 1865(9): p. 2379-2392.
- 337. Cao, H.-J., et al., Genetic ablation and pharmacological inhibition of immunosubunit β5i attenuates cardiac remodeling in deoxycorticosterone-acetate (DOCA)-salt hypertensive mice. Journal of molecular and cellular cardiology, 2019. 137: p. 34-45.
- 338. Zhu, M., et al., Biodegradable and elastomeric vascular grafts enable vascular remodeling. Biomaterials, 2018. 183: p. 306-318.
- 339. Zhang, X., et al., NLRP3 Inflammasome Is Involved in Calcium-Sensing Receptor-Induced Aortic Remodeling in SHRs. Mediators Inflamm, 2018. 2019(6847087): p. 2019.
- 340. Yu, Q., et al., Efficient siRNA transfer to knockdown a placenta specific lncRNA using RGD-modified nano-liposome: A new preeclampsia-like mouse model. International Journal of Pharmaceutics, 2018. 546(1): p. 115-124.
- 341. Xiong, Z.-H., et al., Protective effect of human umbilical cord mesenchymal stem cell exosomes on preserving the morphology and angiogenesis of placenta in rats with preeclampsia. Biomedicine & Pharmacotherapy, 2018. 105: p. 1240-1247.
- 342. Wang, S., et al., Postnatal deficiency of ADAMTS1 ameliorates thoracic aortic aneurysm and dissection in mice. Exp Physiol, 2018. 103(12): p. 1717-1731.
- 343. Wang, F., et al., Recombinant Adeno-Associated Virus-Mediated Delivery of MicroRNA-21-3p Lowers Hypertension. Molecular Therapy Nucleic Acids, 2018. 11: p. 354-366.
- 344. Shu, Q., et al., Administration of ubiquitin-activating enzyme UBA1 inhibitor PYR-41 attenuates angiotensin II-induced cardiac remodeling in mice. Biochem Biophys Res Commun, 2018. 505(1): p. 317-324.
- 345. Shi, X., et al., Ageing-related aorta remodelling and calcification occur earlier and progress more severely in rats with spontaneous hypertension. Histol Histopathol, 2018: p. 11971.
- 346. Ren, C., et al., Hypoxia, hibernation and Neuroprotection: An Experimental Study in Mice. Aging Dis, 2018. 9(4): p. 761-768.
- 347. Qiu, F., et al., Aerobic exercise enhanced endothelium-dependent vasorelaxation in mesenteric arteries in spontaneously hypertensive rats: the role of melatonin. Hypertens Res, 2018. 41(9): p. 718-729.

- 348. Qin, G., et al., Ambient fine particulate matter exposure induces reversible cardiac dysfunction and fibrosis in juvenile and older female mice. Particle and Fibre Toxicology, 2018. 15(1): p. 27.
- 349. Qian, B.-J., et al., miRNA-150-5p associate with antihypertensive effect of epigallocatechin-3-gallate revealed by aorta miRNome analysis of spontaneously hypertensive rat. Life Sciences, 2018. 203: p. 193-202.
- 350. Liao, J., et al., Akt modulation by miR-145 during exercise-induced VSMC phenotypic switching in hypertension. Life Sci, 2018. 199: p. 71-79.
- 351. Li, Z., et al., Gut microbe-derived metabolite trimethylamine N-oxide induces cardiac hypertrophy and fibrosis. Lab Invest, 2018. 99(3): p. 346-357.
- 352. Li, H., et al., Overexpression of LH3 reduces the incidence of hypertensive intracerebral hemorrhage in mice. Journal of Cerebral Blood Flow & Metabolism, 2018. 39(3): p. 547-561.
- 353. Lang, H., et al., UCP3 Ablation Exacerbates High-Salt Induced Cardiac Hypertrophy and Cardiac Dysfunction. Cellular Physiology and Biochemistry, 2018. 46(4): p. 1683-1692.
- 354. Huang, X., et al., Restoration of myocardial glucose uptake with facilitated myocardial glucose transporter 4 translocation contributes to alleviation of diabetic cardiomyopathy in rats after duodenal-jejunal bypass. J Diabetes Investig, 2018. 10(3): p. 626-638.
- 355. Huang, X., et al., Facilitated Ca(2+) homeostasis and attenuated myocardial autophagy contribute to alleviation of diabetic cardiomyopathy after bariatric surgery. Am J Physiol Heart Circ Physiol, 2018. 315(5): p. H1258-H1268.
- 356. Gao, Y., et al., Naringenin inhibits N(G)-nitro-L-arginine methyl ester-induced hypertensive left ventricular hypertrophy by decreasing angiotensin-converting enzyme 1 expression. Exp Ther Med, 2018. 16(2): p. 867-873.
- 357. Cheng, Z., et al., Cardiac-specific Mst1 deficiency inhibits ROS-mediated JNK signalling to alleviate Ang II-induced cardiomyocyte apoptosis. Journal of Cellular and Molecular Medicine, 2018. 23(1): p. 543-555.
- 358. Cheng, Z., et al., Mst1 knockout enhances cardiomyocyte autophagic flux to alleviate angiotensin II-induced cardiac injury independent of angiotensin II receptors. J Mol Cell Cardiol, 2018. 125: p. 117-128.
- 359. Chen, Y., et al., Atorvastatin Attenuates Myocardial Hypertrophy in Spontaneously Hypertensive Rats via the C/EBPbeta/PGC-1alpha/UCP3 Pathway. Cell Physiol Biochem, 2018. 46(3): p. 1009-1018.
- 360. Zhang, Z., et al., Adjunctive therapy with statins reduces residual albuminuria/proteinuria and provides further renoprotection by downregulating the angiotensin II 飲酒 T1 pathway in hypertensive nephropathy. Journal of Hypertension, 2017. 35(7).
- 361. Zhang, Y., et al., BKCa channel activity and vascular contractility alterations with hypertension and aging via beta1 subunit promoter methylation in mesenteric arteries. Hypertens Res, 2017. 41(2): p. 96-103.
- 362. Zhang, X., et al., Involvement of mitochondrial fission in calcium sensing receptor-mediated vascular smooth muscle cells proliferation during hypertension. Biochem Biophys Res Commun, 2017. 495(1): p. 454-460.
- 363. Xu, T., et al., Spontaneously hypertensive rats are sensitive to thoracic aorta damage induced by a hot and humid environment. Exp Ther Med, 2017. 14(5): p. 4383-4390.
- 364. Wei, S., et al., Perivascular radiofrequency renal denervation lowers blood pressure and ameliorates cardiorenal fibrosis in spontaneously hypertensive rats. PLoS ONE, 2017. 12(4): p. e0176888.
- 365. Wang, Z., et al., MicroRNA-1 promotes apoptosis of cerebral vascular smooth muscle cells in intracranial aneurysm through targeting Bcl-2. 2017.
- 366. Wang, X., et al., A novel antioxidant and ACE inhibitory peptide from rice bran protein: Biochemical characterization and molecular docking study. LWT Food Science and Technology, 2017. 75: p. 93-99.
- 367. Wang, B., et al., Enhanced Mitochondrial Transient Receptor Potential Channel, Canonical Type 3–Mediated Calcium Handling in the Vasculature From Hypertensive Rats. Journal of the American Heart Association, 2017. 6(7): p. e005812.
- 368. Tang, C.Y., et al., Magnolol Reduces Renal Ischemia and Reperfusion Injury via Inhibition of Apoptosis. Am J Chin Med, 2017. 45(7): p. 1421-1439.
- 369. Sun, Y., et al., Hypotensive and Cardioprotective Effects of a Novel Apitherapy Formulation Via Upregulation of Peroxisome Proliferator-Activated Receptor-α and -γ in Spontaneous Hypertensive Rats. Saudi Journal of Biological Sciences, 2017.

- 370. Shang, P., et al., Telmisartan improves vascular remodeling through ameliorating prooxidant and profibrotic mechanisms in hypertension via the involvement of transforming growth factor-尾 1. Mol Med Rep, 2017. 16(4): p. 4537-4544.
- 371. Pan, T., et al., Abnormal CYP11A1 gene expression induces excessive autophagy, contributing to the pathogenesis of preeclampsia. Oncotarget, 2017. 8(52): p. 89824-89836.
- 372. Liu, C., et al., Exploration of the molecular interactions between angiotensin-I-converting enzyme (ACE) and the inhibitory peptides derived from hazelnut (Corylus heterophylla Fisch.). Food Chemistry, 2017: p. 471-480.
- 373. Liu, B., et al., Study of the Safety of Extracorporeal Cardiac Shock Wave Therapy: Observation of the Ultrastructures in Myocardial Cells by Transmission Electron Microscopy. Journal of Cardiovascular Pharmacology and Therapeutics, 2017. 23(1): p. 79-88.
- 374. Liao, J., et al., Epigenetic regulation of L-type voltage-gated Ca2+ channels in mesenteric arteries of aging hypertensive rats. Hypertension Research, 2017. 40(5): p. 441-449.
- 375. Liang, Y., et al., Alleviative effect of grape seed proanthocyanidin extract on small artery vascular remodeling in spontaneous hypertensive rats via inhibition of collagen hyperplasia. Mol Med Rep, 2017. 15(5): p. 2643-2652.
- 376. Jiang, Y., et al., Ginsenoside Rg3 induces ginsenoside Rb1-comparable cardioprotective effects independent of reducing blood pressure in spontaneously hypertensive rats. Exp Ther Med, 2017. 14(5): p. 4977-4985.
- 377. Hao, Q., et al., ACE2 Inhibits Angiotensin II-Induced Abdominal Aortic Aneurysm in Mice. Hum Gene Ther, 2017.
- 378. Han, D., et al., Reduced silent information regulator 1 signaling exacerbates sepsis-induced myocardial injury and mitigates the protective effect of a liver X receptor agonist. Free Radic Biol Med, 2017. 113: p. 291-303.
- 379. Gu, X., et al., KLF 15 Works as an Early Anti-Fibrotic Transcriptional Regulator in Ang II-Induced Renal Fibrosis via Down-Regulation of CTGF Expression. Kidney Blood Press Res, 2017. 42(6): p. 999-1012.
- 380. Dong, Q., et al., Tetrahydroxystilbene Glycoside Improves Microvascular Endothelial Dysfunction and Ameliorates Obesity-Associated Hypertension in Obese ZDF Rats Via Inhibition of Endothelial Autophagy. Cellular Physiology & Biochemistry, 2017. 43(1): p. 293-307.
- 381. Ding, X.-F., et al., Prenatal Exposure to LPS Alters The Intrarenal RAS in Offspring, Which Is Ameliorated by Adipose Tissue-Derived Mesenchymal Stem Cells. American Journal of Hypertension, 2017. 30(12): p. 1211-1219.
- 382. Cui, J., et al., Adipose-specific deletion of Kif5b exacerbates obesity and insulin resistance in a mouse model of diet-induced obesity. Faseb J, 2017. 31(6): p. 2533-2547.
- 383. Zhou, C., et al., CYP2J2-Derived EETs Attenuated Angiotensin II-Induced Adventitial Remodeling via Reduced Inflammatory Response. Cell Physiol Biochem, 2016. 39(2): p. 721-39.
- 384. Yu, Z., et al., Short- and Long-term Antihypertensive Effect of egg protein-derived Peptide QIGLF. J Sci Food Agric, 2016. 2016(21): p. 7762.
- 385. Yu, T., et al., Enhanced and Extended Anti-Hypertensive Effect of VP5 Nanoparticles. International Journal of Molecular Sciences, 2016. 17(12).
- 386. Yan, W., et al., β-Dystroglycan cleavage by matrix metalloproteinase-2/-9 disturbs aquaporin-4 polarization and influences brain edema in acute cerebral ischemia. Neuroscience, 2016. 326: p. 141-157.
- 387. Yan, W., et al., beta-Dystroglycan cleavage by matrix metalloproteinase-2/-9 disturbs aquaporin-4 polarization and influences brain edema in acute cerebral ischemia. Neuroscience, 2016. 326: p. 141-57.
- 388. Xue, S., et al., Endothelial ATP-binding cassette G1 in mouse endothelium protects against hemodynamic-induced atherosclerosis. Biochem Biophys Res Commun, 2016. 477(2): p. 247-54.
- 389. Wang, Q., et al., Transgenic overexpression of transient receptor potential vanilloid subtype 1 attenuates isoproterenol-induced myocardial fibrosis in mice. Int J Mol Med, 2016. 38(2): p. 601-609.
- 390. Shang, P., et al., Acetyl-11-Keto-β-Boswellic Acid Attenuates Prooxidant and Profibrotic Mechanisms Involving Transforming Growth Factor-β1, and Improves Vascular Remodeling in Spontaneously Hypertensive Rats. Scientific Reports, 2016. 6(1): p. 39809.
- 391. Mi, Y., et al., Mizoribine relieves hypertension and kidney injuries in rats after kidney transplantation. 2016.
- 392. Guo, W., et al., Post-Natal Inhibition of NF-kappaB Activation Prevents Renal Damage Caused by Prenatal LPS Exposure. PLoS ONE, 2016. 11(4): p. 2016.

- 393. Geng, Y., et al., Effect of dehydration heat exposure on thoracic aorta reactivity in rats. Biomedical Reports, 2016. 5(5): p. 613.
- 394. Gao, L., et al., Calcitriol attenuates cardiac remodeling and dysfunction in a murine model of polycystic ovary syndrome. Endocrine, 2016. 52(2): p. 363-373.
- 395. Dong, Q., et al., Tetrahydroxystilbene Glucoside Inhibits Excessive Autophagy and Improves Microvascular Endothelial Dysfunction in Prehypertensive Spontaneously Hypertensive Rats. Am J Chin Med, 2016. 44(07): p. 1393-1412.
- 396. Deng, Y., et al., Sustained elevation of NF-κB activity sensitizes offspring of maternal inflammation to hypertension via impairing PGC-1α recovery. Scientific Reports, 2016. 6(1): p. 32642.
- 397. Yan-Xia, Z., et al., High fat diet exacerbates vascular endothelial dysfunction in rats exposed to continuous hypobaric hypoxia. Biochemical & Biophysical Research Communications, 2015. 457(3): p. 485-491.
- 398. Xie, X.-L., et al., Smooth muscle 22α facilitates angiotensin II-induced signaling and vascular contraction. Journal of Molecular Medicine, 2015. 93(5): p. 547-558.
- 399. Wang, Y., et al., Isolation and identification of a novel peptide from zein with antioxidant and antihypertensive activities. Food Funct, 2015. 6(12): p. 3799-806.
- 400. Wang, X., et al., Prenatal lipopolysaccharide exposure causes mesenteric vascular dysfunction through the nitric oxide and cyclic guanosine monophosphate pathway in offspring. Free radical biology & medicine, 2015. 86: p. 322-330.
- 401. Wang, X., et al., Physico-chemical properties, antioxidant activities and antihypertensive effects of walnut protein and its hydrolysate. J Sci Food Agric, 2015. 2015(18): p. 7379.
- 402. Lin, X.-H., et al., Upregulation of TRPC1/6 may be involved in arterial remodeling in rat. Journal of Surgical Research, 2015. 195(1): p. 334-343.
- 403. Fan, P.-C., et al., Anti-hypoxia Activity of the Novel NO Donor Acetyl Ferulic Isosorbide Mononitrate in Acute High-Altitude Hypoxia Mice. Biological and Pharmaceutical Bulletin, 2015. 38(9): p. 1280-1289.
- 404. Chen, Z., et al., Effect of titanium dioxide nanoparticles on the cardiovascular system after oral administration. Toxicology Letters, 2015. 239(2): p. 123-130.
- 405. Chen, Y., et al., Exercise intensity-dependent reverse and adverse remodeling of voltage-gated Ca2+ channels in mesenteric arteries from spontaneously hypertensive rats. Hypertension Research, 2015. 38(10): p. 656-665.
- 406. Yu, Z., et al., Antihypertensive Effect of Angiotensin-Converting Enzyme Inhibitory Peptide RVPSL on Spontaneously Hypertensive Rats by Regulating Gene Expression of the Renin-Angiotensin System. Journal of Agricultural and Food Chemistry, 2014. 62(4): p. 912-917.
- 407. Yao, T., et al., Vitamin D Receptor Activation Protects against Myocardial Reperfusion Injury through Inhibition of Apoptosis and Modulation of Autophagy. Antioxid Redox Signal, 2014. 2014: p. 3.
- 408. Xie, X.L., et al., Smooth muscle 22alpha facilitates angiotensin II-induced signaling and vascular contraction. J Mol Med, 2014. 2014: p. 17.
- 409. Wei, Z., et al., Inhibiting the Th17/IL-17A-Related Inflammatory Responses With Digoxin Confers Protection Against Experimental Abdominal Aortic Aneurysm. Arterioscler Thromb Vasc Biol, 2014. 34(11): p. 2429-38.
- 410. Gu, Q., et al., Benzothiazole derivatives upregulate SIRT1 and relevant genes in high-fat fed C57BL/6J mice. Medicinal Chemistry Research, 2014: p. 1-7.
- 411. Fan, P.-C., et al., The Antioxidative Effect of a Novel Free Radical Scavenger 4'-Hydroxyl-2-substituted Phenylnitronyl Nitroxide in Acute High-Altitude Hypoxia Mice. Biological and Pharmaceutical Bulletin, 2013. 36(6): p. 917-924.
- 412. Lv, P., et al., Phosphorylation of Smooth Muscle 22 Alpha Facilitates Angiotensin II-Inducted ROS Production via Activation of PKCdelta-P47phox Axis Through Release of PKCdelta and Actin Dynamics and Is Associated with Hypertrophy and Hyperplasia of Vascular Smooth Muscle Cells in Vitro and in Vivo. Circ Res, 2012. 2012: p. 12.